

Improved voice quality and UX, newly designed digital phone iPECS LDP-9200 Series

Empower your business with iPECS LDP-9200 Series. Newly designed and rich features, iPECS LDP-9200 Series have an intuitive interface that improves user usability. Also, it provides high voice quality to increase user experience. With wide range of models, it allows for diverse combinations that fit any business environment.

LDP-9240D

- 320 x 144 graphic LCD with backlit
- 12(2 pages, total 24) flexible buttons (Dual LED)
- Full duplex speaker phone
- Support button kit(12/24/48 DSS)
- Support EHSA

Advanced

ACCESSORY

LIP-9012DSS

- 12 keys with triple color LED
- Paper underlay
- Power via keyset

LDP-9224DF

- 192 x 36 graphic LCD with backlit
- 24 flexible buttons(Dual LED)
- Full duplex speaker phone
- Support button Kit(12/24/48 DSS)
- Support EHSA



LIP-9024DSS

- 24 keys w/ith triple color LED
- Paper underlay
- Power via keyset



LDP-9224D

- 3 x 24 character LCD without backlit
- 24 flexible buttons(Dual LED)
- Half duplex speaker phone
- Support button Kit(Only 48 DSS)
- Support EHSA



Standard

Basic

LDP-9248DSS

- 48 keys with triple color LED
- Paper underlay
- Power from system



LDP-9208D

- 2 x 24 character LCD without backlit
- 8 flexible buttons(Dual LED)
- Half duplex speaker phone
- No support button Kit



EHSA

(Electronic Hook Switch Adapter)

- Compatible with Plantronics and Jabra
- Package of EHSA& foot stand



Specification

		LDP-9208D	LDP-9224D	LDP-9224DF	LDP-9240D
Display	LCD size(Pixels)	24 Character	24 Character	192 x 36	320 x 144
	LCD dimension(W x H mm)	94.5 x 18	94.5 x 28	94.5 x 30.61	94 x 47
	UI line	2 line	3 line	3 line	8 line
	Backlit	No		Yes	
	LCD type		Graphic LCD	Graphic LCD	
Keypad	Programmable button with BLF	8	24	24	24
	Soft key	No	Yes		
	Navigation key		No		
	Fixed button (Dedicated hard key)	8	11	11	11
	LED button	5	6	6	6
Network Interfaces	EHSA	No	No Yes		
	Handset(RJ-9)	Yes			
Audio Interfaces	Headset(RJ-9)	Yes			
	Speaker phone	Half duplex	Half duplex	Full duplex	Full duplex
Hardware Specification	Acctive/Standby power consumption(Watt)	1.6/1	1.6/1	1.8/1.2	1.8/1.2
	Dimension(H x W x D, mm)	195 x 229 x 108	229 x 229 x 126.2	229 x 229 x 126.2	229 x 229 x 126.2
	Weight(Net, g)	922	998	1008	1024
Others	Phone tilting	No	No Yes		
	Button kit support	No	No Yes		
	Wall mount	Optional			

DSS Option

Model	LIP-9012DSS	LIP-9024DSS	LDP-9248DSS	
Compatibility	LDP-922	LDP-9224D/24DF/40D		
Flexible button	12	24	48	
Underlay type	Paper			
Maximum connection		2		
Triple color LED	Yes			
External power	No			

EHSA(Electronic Hook Switch Adaptor)

EHSA is a set of cables connect between wireless or wired headset and desk phones. It enables customers to answer and end calls away from their desks.

Benefits

- Support wired and wireless devices
- Common use in digital and IP phones
- Stable operation and better quality

Specifications

- CPU : CortexM0

Power : From phone(5V, 3.3V)

■ Phone communication : DSS port 14 pin

• EHSA selection : Auto detection

■ Protocol : SIP/IPKTS

Compatible Model: Plantronics CS500 Series, SAVI 700 Series Jabra Pro 920 Series, Pro 9400 Series

The content of this document is subject to revision without notice due to continued progress in methodology, design and manufacturing. Ericsson-LG Enterprise shall have no liability for any error or damage of any kind resulting from the use of this document



iPECS is an Ericsson-LG Brand

